

---

---

# Contents

---

## About This Book

<b>The MindShare Architecture Series .....</b>	<b>1</b>
<b>Cautionary Note .....</b>	<b>2</b>
<b>Organization of This Book.....</b>	<b>2</b>
Part I: The Emergence of USB .....	2
Part II: The USB Solution .....	2
Part III: USB Configuration .....	3
Part IV: USB Host Software.....	4
Part V: USB Device Class.....	4
Part VI: Host Controllers and Hub: Example Implementations.....	4
<b>Who This Book Is For.....</b>	<b>5</b>
<b>Prerequisite Knowledge .....</b>	<b>5</b>
<b>Documentation Conventions.....</b>	<b>5</b>
Hexadecimal Notation .....	5
Binary Notation.....	5
Decimal Notation .....	6
Bits Versus Byte Notation.....	6
<b>Identification of Bit Fields .....</b>	<b>6</b>
<b>Visit Our Web Page .....</b>	<b>7</b>
<b>We Want Your Feedback.....</b>	<b>7</b>

---

## Part I: The Emergence of USB

---

### Chapter 1: The Need for USB

<b>Shortcomings of the Existing PC IO Paradigm .....</b>	<b>11</b>
<b>Technical Issues.....</b>	<b>11</b>
Interrupts.....	12
IO Addresses .....	14
Non-Shareable Interfaces.....	14
<b>End User Concerns.....</b>	<b>14</b>
Cable Crazy.....	14
Installation and Configuration of Expansion Cards.....	15
No Hot Attachment of Peripheral .....	15
<b>Cost .....</b>	<b>16</b>

---

# Contents

---

---

## Chapter 2: Solutions

<b>Design Goals</b> .....	17
<b>Challenges of the New Solution</b> .....	17
Enhanced System Performance.....	18
Plug and Play Support .....	18
Hot Attachment.....	18
Room for Growth/Expandability.....	19
Legacy Hardware/Software Support .....	19
Low Cost .....	19
<b>Analysis of Potential Solutions</b> .....	19
Access Bus .....	21
GeoPort.....	21
IEEE 1394.....	21
<b>USB - The Right Balance</b> .....	21
<b>The USB Paradigm</b> .....	24
<b>How to Get the USB Specifications</b> .....	24

---

## Part II: The USB Solution

---

## Chapter 3: The Big Picture

<b>Overview</b> .....	27
<b>The Players</b> .....	29
USB Device Drivers .....	30
USB Driver .....	31
USB Host Controller Driver .....	31
USB Host Controller/Root Hub .....	32
The Host Controller .....	32
The Root Hub .....	33
USB Hubs .....	34
Hub Controller .....	36
Hub Repeater.....	36
Hub's Role in Configuration.....	37
USB Devices .....	38
High-Speed Devices .....	38
Low-Speed Devices .....	38
<b>USB Communications Model</b> .....	38
Communications Flow .....	39
Transfers, IRPs, Frames, and Packets.....	41
Transfers.....	41
The USB Driver, IRPs and Frames .....	41

---

The Host Controller Driver and Transactions .....	42
The Host Controller and Packets.....	44
<b>Device Framework (how devices present themselves to software).....</b>	<b>45</b>
Device Descriptors .....	45
Device Framework.....	47
USB Bus Interface Layer .....	47
USB Device Layer .....	48
Function Layer .....	49
<b>USB Peripheral Connection .....</b>	<b>50</b>
<b>Topology .....</b>	<b>51</b>

---

## Chapter 4: The Physical Environment

<b>The Connectors.....</b>	<b>53</b>
Series A Connectors.....	54
Series B Connectors.....	55
<b>Cables .....</b>	<b>55</b>
Low-Speed Cables.....	55
Full-Speed Cables.....	56
Cable Power .....	57
<b>Electrical and Mechanical Specifications .....</b>	<b>57</b>

---

## Chapter 5: The Signaling Environment

<b>Overview.....</b>	<b>59</b>
<b>Detecting Device Attachment and Speed.....</b>	<b>60</b>
<b>NRZI Encoding.....</b>	<b>62</b>
<b>Bit Stuffing .....</b>	<b>63</b>
<b>Differential Pair Signaling.....</b>	<b>64</b>
Differential Drivers .....	65
Low-Speed Drivers .....	66
Full-Speed Drivers .....	66
Differential Receivers .....	68
Single-Ended Receivers.....	68
<b>Summary of USB Signaling States .....</b>	<b>69</b>

---

## Chapter 6: USB Transfers

<b>Overview.....</b>	<b>71</b>
<b>Client Initiates Transfer.....</b>	<b>72</b>
<b>Frame-Based Transfers.....</b>	<b>74</b>
<b>Transfer Types .....</b>	<b>75</b>
Isochronous.....	76
Direction of Transfers.....	77

---

# Contents

---

Service Period .....	78
Bandwidth Allocation .....	78
Error Recovery .....	78
<b>Interrupt Transfers</b> .....	<b>78</b>
Service Period .....	78
Bus Bandwidth Allocation.....	80
Error Recovery .....	80
<b>Control Transfers</b> .....	<b>80</b>
Bus Bandwidth Allocation.....	81
Error Recovery .....	81
<b>Bulk Transfers</b> .....	<b>81</b>
Bus Bandwidth Allocation.....	81
Error Recovery .....	82

---

## Chapter 7: USB Transactions

<b>Overview</b> .....	<b>83</b>
<b>Packets — The Basic Building Blocks of USB transactions</b> .....	<b>85</b>
Synchronization Sequence.....	86
Packet Identifier .....	87
Packet-Specific Information.....	88
Cyclic Redundancy Checking (CRC) .....	88
End of Packet (EOP) .....	88
<b>Token Packets</b> .....	<b>89</b>
SOF Packet .....	90
IN Packet .....	91
OUT Packet .....	92
SETUP Packet .....	93
<b>Data Packets — Data0 and Data1</b> .....	<b>94</b>
<b>Handshake Packets</b> .....	<b>95</b>
<b>Preamble Packet</b> .....	<b>97</b>
<b>Transactions</b> .....	<b>98</b>
<b>IN Transactions</b> .....	<b>98</b>
IN Transaction without Errors.....	98
IN Transaction with Errors.....	99
IN Transaction with No Interrupt Pending/Target Busy .....	100
IN Transaction with Target Stalled .....	101
IN Transaction during Isochronous Transfer .....	101
<b>OUT Transactions</b> .....	<b>102</b>
OUT Transaction without Data Packet Errors.....	102
OUT Transaction with Errors/Target Busy .....	103
OUT Transaction — Target Unable to Accept Data .....	103
OUT Transaction with Target Stalled .....	104

---

OUT Transaction during Isochronous Transfer .....	104
Setup Transactions/Control Transfers .....	105
Two Stage Control Transfer .....	106
Three Stage Control Transfer with IN Data Stage .....	107
Three Stage Control Transfer with OUT Data Stage .....	108
Control Transfers with Errors .....	108

---

## Chapter 8: Error Recovery

<b>Overview</b> .....	<b>109</b>
<b>Packet Errors</b> .....	<b>110</b>
PID Checks .....	110
CRC Errors .....	111
Bit Stuff Errors .....	112
Packet-Related Error Handling .....	112
Token Packet Errors .....	112
IN Packet Errors .....	112
OUT or Setup Packet Errors .....	112
Data Packet Errors .....	113
During OUT or Setup Transactions .....	113
During IN Transactions .....	113
Handshake Packet Errors .....	113
During OUT Transactions .....	113
During IN Transactions .....	113
<b>Bus Time-Out</b> .....	<b>114</b>
<b>False EOPs</b> .....	<b>115</b>
False EOP during Host Transmission .....	115
False EOP during Target Transmission .....	116
<b>Data Toggle Errors</b> .....	<b>116</b>
Data Toggle Procedure without Errors .....	116
Data Toggle during OUT Transactions .....	117
Data Toggle during IN Transactions .....	118
Data Toggle Procedure with Data Packet Errors .....	120
Data Toggle and Data Packet Errors — OUT Transactions .....	120
Data Toggle and Data Packet Errors — IN Transactions .....	122
Data Toggle with Handshake Packet Errors .....	124
Data Toggle and Handshake Errors — OUT Transactions .....	125
Data Toggle with Handshake Packet Error — IN Transaction .....	126
<b>Special Case: Data Toggle During Control Transfer</b> .....	<b>128</b>
<b>Babble</b> .....	<b>129</b>
<b>Loss of Activity (LOA)</b> .....	<b>130</b>
<b>Babble/LOA Detection and Recovery</b> .....	<b>130</b>
Frame Timer .....	130

---

# Contents

---

Host to Hub Skew .....	131
Hub Repeater State Machine .....	132
<b>Isochronous Transfers (Delivery Not Guaranteed) .....</b>	<b>133</b>
<b>Interrupt Transfer Error Recovery .....</b>	<b>133</b>
<b>Bulk Transfer Error Recovery .....</b>	<b>134</b>
<b>Control Transfer Error Recovery .....</b>	<b>134</b>

---

## Chapter 9: USB Cable Power Distribution

<b>USB Power .....</b>	<b>135</b>
<b>Hubs .....</b>	<b>135</b>
Current Budget .....	136
Over-Current Protection .....	137
Voltage Drop Budget .....	137
Power Switching .....	138
<b>Bus-Powered Hubs .....</b>	<b>139</b>
Power During Hub Configuration .....	139
Bus-Powered Hub Attached to 500ma Port .....	140
Bus-Powered Hub Attached to 100ma Port .....	140
Bus-Powered Hub Attached to Port with >100ma but <500ma .....	140
Current Limiting .....	141
<b>Bus-Powered Devices .....</b>	<b>142</b>
Low-Power Devices .....	142
High-Power Devices .....	143
Power During Configuration .....	143
Insufficient Port Power .....	143
<b>Self-Powered Hubs .....</b>	<b>145</b>
Power During Configuration .....	146
Locally Powered Bus Interface .....	146
Hybrid-Powered Device .....	146
Current Limiting .....	147
<b>Self-Powered Devices .....</b>	<b>148</b>
Power During Configuration .....	148
Locally Powered Bus Interface .....	148
Hybrid Powered Device .....	148

---

## Chapter 10: USB Power Conservation

<b>Power Conservation-Suspend .....</b>	<b>151</b>
Device Response to Suspend .....	152
Hub Response to Suspend .....	152
<b>Global Suspend .....</b>	<b>153</b>
Initiating Global Suspend .....	153

---

Resume from Global Suspend.....	153
Resume Initiated By Host.....	153
Remote Wakeup from Device.....	155
Remote Wakeup via Device Attachment and Detachment.....	157
<b>Selective Suspend.....</b>	<b>157</b>
Initiating Selective Suspend.....	157
Resume from Selective Suspend.....	157
Host Initiated Selective Resume.....	157
Selective Wakeup from Device.....	158
Selective Suspend When Hub is Suspended.....	160
Device Signals Resume.....	160
Port Receives Connect or Disconnect.....	162
<b>Selective Suspend Followed by Global Suspend.....</b>	<b>162</b>
<b>Resume Via Reset.....</b>	<b>162</b>
Hub Frame Timer after Wakeup.....	164

---

## Part III: USB Configuration

---

### Chapter 11: Configuration Process

<b>Overview.....</b>	<b>167</b>
<b>The Configuration Model.....</b>	<b>169</b>
<b>Root Hub Configuration.....</b>	<b>170</b>
Each Device is Isolated for Configuration.....	171
Reset Forces Device to Default Address (zero).....	172
Host Assigns a Unique Device Address.....	172
Host Software Verifies Configuration.....	172
Power Requirements.....	172
Bus Bandwidth.....	173
Configuration Value is Assigned.....	173
Client Software is Notified.....	173

---

### Chapter 12: Hub Configuration

<b>Configuring the Hub.....</b>	<b>175</b>
The Default Pipe.....	176
The Status Change Pipe.....	176
<b>Reading the Hub's Descriptors.....</b>	<b>176</b>
Hub Device Descriptor.....	178
Hub Configuration Descriptor.....	180
Number of Interfaces.....	180
Configuration Value.....	181
Bus- or Self-Powered Hub.....	181

---

# Contents

---

Maximum Bus Power Consumed .....	181
Hub Interface Descriptor .....	182
Status Endpoint Descriptor .....	184
Status Change Endpoint Address/Transfer Direction.....	184
Transfer Type .....	185
Maximum Data Packet Size.....	185
Polling Interval.....	185
Hub Class Descriptor .....	186
Power Switching Mode Implemented .....	187
Compound Device or Hub Only .....	187
Over-current Protection Mode.....	187
Power On to Power Good Delay .....	187
Maximum Bus Current for Hub Controller .....	188
Device Removable/Non-removable .....	188
Port Power Mask.....	188
<b>Powering the Hub .....</b>	<b>191</b>
<b>Checking Hub Status.....</b>	<b>191</b>
Detecting Hub Status Changes .....	191
Reading the Hub Status Field.....	192
Reading Port Status Field.....	193
Enabling the Device .....	193
<b>Summary of Hub Port States .....</b>	<b>194</b>

---

## Chapter 13: Hub Requests

<b>Overview .....</b>	<b>197</b>
<b>Hub Request Types .....</b>	<b>198</b>
Standard Requests and Hub Response.....	199
<b>Hub Class Requests .....</b>	<b>200</b>
<b>Get/Set Descriptor.....</b>	<b>202</b>
<b>Get Hub Status Request.....</b>	<b>202</b>
Hub Status Fields .....	203
Local Power Status .....	203
Over-Current Indicator .....	203
Hub State Change Fields.....	204
Local Power Status Change.....	204
Over-Current Indicator Change .....	204
<b>Set/Clear Hub Feature Request .....</b>	<b>205</b>
Hub Local Power Change Request.....	206
Hub Over Current Change Request.....	206
<b>Get Port Status Request .....</b>	<b>206</b>
Port Status Fields.....	207
Current Connect Status Field .....	207

Port Enabled/Disabled .....	207
Suspend .....	208
Over-Current Indicator .....	208
Reset .....	208
Port Power .....	208
Low Speed Device Attached .....	209
Port Change Fields .....	209
Current Status Change .....	209
Port Enabled/Disable Change .....	210
Suspend Change (Resume Complete) .....	210
Over-Current Indicator Change .....	210
Reset Complete .....	210
<b>Set/Clear Port Feature .....</b>	<b>211</b>
<b>Get Bus State .....</b>	<b>212</b>

---

## Chapter 14: USB Device Configuration

<b>Overview .....</b>	<b>213</b>
<b>Reading and Interpreting the USB Descriptors .....</b>	<b>214</b>
<b>Device Classes .....</b>	<b>215</b>
<b>Device Descriptors .....</b>	<b>216</b>
Class Code Field .....	216
Maximum Packet Size 0 .....	217
Manufacturer, Product, Serial Number .....	217
Number of Configurations .....	218
<b>Configuration Descriptors .....</b>	<b>221</b>
Number of Interfaces .....	221
Configuration Value .....	221
Attributes and Maximum Power .....	222
<b>Interface Descriptors .....</b>	<b>223</b>
Interface Number and Alternate Setting .....	223
Number of Endpoints .....	225
Interface Class and Sub Class .....	225
Protocol .....	225
<b>Endpoint Descriptors .....</b>	<b>227</b>
<b>Device States .....</b>	<b>229</b>
Attached State .....	229
Powered State .....	229
Default State .....	229
Addressed State .....	230
Configured State .....	230
Suspended State .....	230

---

# Contents

---

---

## Chapter 15: Device Requests

Overview .....	233
Standard Device Requests.....	234
Set/Clear Feature .....	237
Device Remote Wakeup .....	237
EndPoint Stall .....	237
Set/Get Configuration .....	238
Set/Get Descriptor.....	238
Set/Get Interface.....	239
Get Status.....	240
Device Status.....	240
Self Powered Bit .....	240
Remote Wakeup Bit.....	241
Endpoint Status .....	241
Sync Frame .....	241

---

## Part IV: USB Host Software

---

## Chapter 16: USB Host Software

USB Software .....	245
Function Layer.....	246
Device Layer .....	246
Interface Layer.....	247
The Software Components .....	248
USB Driver (USBD) .....	250
Configuration Management.....	250
USB Elements Requiring Configuration.....	250
Allocating USB Resources.....	251
Verifying Power .....	251
Tracking and Allocating Bus Bandwidth.....	252
Bus Bandwidth Reclamation.....	253
Bus Management.....	253
Data Transfer Management .....	254
Providing Client Services (The USB Driver Interface).....	254
Pipe Mechanisms .....	254
Client Pipe Requirements .....	255
Command Mechanisms .....	255

---

---

**Part V: USB Device Class**

---

**Chapter 17: Device Classes**

<b>Overview</b> .....	259
<b>Device Classes</b> .....	262
<b>Audio Device Class</b> .....	262
Standard Audio Interface Requirements .....	264
Synchronization Types.....	264
Audio Class-Specific Descriptors .....	265
Audio Class-Specific Requests .....	265
<b>Communication Device Class</b> .....	266
Communications Device Interfaces.....	267
Communications Class-Specific Descriptors .....	267
Communications Class-Specific Requests.....	267
<b>Display Device Class</b> .....	268
The Standard Display Device Class Interface.....	268
Display Device-Specific Descriptors .....	269
Device-Specific Requests.....	269
<b>Mass Storage Device Class</b> .....	269
Standard Mass Storage Interface .....	271
Control Endpoint .....	271
Bulk Transfer Endpoints.....	271
Interrupt Endpoint.....	271
General Mass Storage Subclass .....	271
CD-ROM Subclass.....	272
Tape Subclass.....	273
Solid State Subclass.....	273
Class and Device-Specific USB Requests.....	273
<b>Human Interface Device Class</b> .....	274

---

**Part VI: Host Controllers and Hub:  
Example Implementations**

---

**Chapter 18: Universal Host Controller**

<b>Overview</b> .....	277
<b>Universal Host Controller Transaction Scheduling</b> .....	278
Universal Host Controller Frame List Access.....	278
UHC Transfer Scheduling Mechanism .....	280
Bus Bandwidth Reclamation .....	280

# Contents

---

<b>Transfer Descriptors .....</b>	<b>281</b>
Queue Heads .....	285
<b>UHC Control Registers .....</b>	<b>287</b>

---

## Chapter 19: Open Host Controller

<b>Overview .....</b>	<b>289</b>
<b>Open Host Controller Transfer Scheduling .....</b>	<b>289</b>
The Open Host Controller Transfer Mechanism .....	290
The ED and TD List Structure .....	292
Interrupt and Isochronous Transfer Processing .....	292
Control and Bulk Transfer Processing .....	292
The Done Queue .....	293
Interrupt Transfer Scheduling .....	293
<b>EndPoint Descriptors .....</b>	<b>295</b>
<b>Transfer Descriptors .....</b>	<b>298</b>
General Transfer Descriptor .....	298
Isochronous Transfer Descriptor .....	301
<b>The Open Host Controller Registers .....</b>	<b>304</b>

---

## Chapter 20: The TUSB2040 Hub

<b>Overview .....</b>	<b>307</b>
<b>Power Control .....</b>	<b>309</b>
Self-Powered with Individual Port Control .....	309
Self-Powered Hub with Ganged Port Control .....	310
Bus-Powered Hub with Ganged Port Control .....	311

---

## Appendix: FuturePlus USB Preprocessor

<b>Overview .....</b>	<b>313</b>
<b>Capabilities .....</b>	<b>313</b>
<b>Implementation .....</b>	<b>314</b>
State Analysis Mode .....	314
Timing Analysis Mode .....	314
Cross-Domain Analysis .....	315

---

<b>Index .....</b>	<b>317</b>
--------------------	------------