

Table of Contents

	Page
Preface	xxix
About This Manual	xxix
Summary of Contents	xxix
How to Use This Manual	xxx
Getting the Example Programs	xxxii
FTP	xxxii
FTPMAIL	xxxii
BITFTP	xxxiii
UUCP	xxxiv
Compiling the Example Programs	xxxiv
Assumptions	xxxv
Font Conventions Used in This Manual	xxxv
Related Documents	xxxvi
We'd Like to Hear From You	xxxvi
Bulk Sales Information	xxxvii
Acknowledgements	xxxvii
Chapter 1 Introduction	3
1.1 Versions of X	3
1.2 X Window System Concepts	4
1.2.1 Displays and Screens	4
1.2.2 The Server-Client Model	5
1.2.3 Window Management	7
1.2.4 Events	8
1.2.5 Extensions to X	8
1.3 X Window System Software Architecture	9
1.4 Overview of Xlib	11
Chapter 2 X Concepts	15
2.1 How Xlib Works	15
2.1.1 The X Protocol	16
2.1.2 Buffering	17
2.1.3 Resources	18
2.1.4 Properties and Atoms	20
2.1.5 The Window Manager	21
2.2 What are X Windows?	23

2.2.1 Window Characteristics	24
2.2.2 Window Hierarchy	26
2.2.3 Window Stacking Order	28
2.2.4 Mapping and Visibility	29
2.3 Introduction to X Graphics	30
2.3.1 Pixels and Colors	30
2.3.2 Pixels and Planes	31
2.3.3 Pixmaps and Drawables	32
2.3.4 Drawing and the Graphics Context	33
2.3.5 Tiles and Stipples	33
2.4 More on Window Characteristics	34
2.4.1 Window Attributes	34
2.4.2 Window Configuration	35
2.4.3 Class: InputOutput and InputOnly Windows	36
2.4.4 Depth and Visual	36
2.4.5 Icons	37
2.4.6 Special Characteristics of the Root Window	38
2.5 Introduction to Events	38
2.5.1 What is an Event?	38
2.5.2 Selection and Propagation of Events	39
2.5.3 The Event Queue	40
2.5.4 An Event Structure	40
2.5.5 The Event Loop	41
2.6 How to Program with Xlib	42
2.6.1 Designing an X Application	42
2.6.1.1 Design Requirements	42
2.6.1.2 The User Interface	43
2.6.2 Writing an X Application	44
2.6.2.1 Resources and User Customizability	44
2.6.2.2 Compiling and Linking X Programs	45
2.6.2.3 Naming Conventions	45
2.6.2.4 Using Structures, Symbols, and Masks	46
2.6.2.5 Performance Optimizing	47
2.6.2.6 ANSI-C and POSIX Portability	47
2.6.3 Debugging an X Application	47
2.6.3.1 Errors	49
2.6.3.2 The XErrorEvent Structure	50
2.6.3.3 Synchronizing Errors	50
2.6.3.4 Software Interrupts	51
Chapter 3 Basic Window Program	55
3.1 Running the Program	56
3.2 The Main of basicwin	57
3.2.1 Include Files and Declarations	57
3.2.2 Connecting to a Server	59
3.2.3 Display Macros	61

3.2.4 Getting Window Information	61
3.2.5 Creating Windows	63
3.2.6 Color Strategy	64
3.2.7 Preparing an Icon Pixmap	65
3.2.8 Communicating with the Window Manager	66
3.2.9 Selecting Desired Event Types	71
3.2.10 Creating Server Resources	72
3.2.11 Window Mapping	72
3.2.12 Flushing the Output Buffer	73
3.2.13 Setting Up an Event-gathering Loop	73
3.2.13.1 Repainting the Window	75
3.2.14 When Can I Draw?	79
3.2.15 When Will My Drawing Appear?	80
3.2.16 Handling Resizing of the Window	81
3.2.17 Exiting the Program	81
3.2.18 Error Handling	82
3.2.19 Summary	82
3.2.20 Complete Code for basicwin	83

Chapter 4 Window Attributes 93

4.1 Setting Window Attributes	93
4.2 The Window Attribute Structures	94
4.3 Settable Attributes	96
4.3.1 The Window Background	97
4.3.1.1 background_pixmap	98
4.3.1.2 background_pixel	99
4.3.2 The Window Border	99
4.3.2.1 border_pixmap	100
4.3.2.2 border_pixel	101
4.3.3 Bit Gravity	101
4.3.4 Window Gravity	103
4.3.5 Backing Store	105
4.3.6 Saving Under	106
4.3.7 Event Handling	107
4.3.8 Substructure Redirect Override	108
4.3.9 Colormap	108
4.3.10 Cursor	109
4.3.11 Default Attributes	110
4.4 Information from the XWindowAttributes Structure	110

Chapter 5 The Graphics Context 115

5.1 Creating and Setting a Graphics Context	118
5.2 Switching Between Graphics Contexts	121
5.3 Controlling Pixel Selection	122

5.3.1 Line Characteristics	122
5.3.1.1 Line Width	123
5.3.1.2 Line Style	124
5.3.1.3 Cap Style	125
5.3.1.4 Join Style	125
5.3.1.5 Dash List and Offset	128
5.3.1.6 Example of Setting Line Characteristics	130
5.3.2 The Font	131
5.3.3 Fill Rule	131
5.3.4 Arc Mode (for Filling)	132
5.3.5 Clip Mask	133
5.4 Controlling Coloring and Patterning	134
5.4.1 Drawing in Foreground Only	135
5.4.2 Tiles	135
5.4.3 Stipples	136
5.4.4 Fill Style	137
5.4.5 Drawing in Foreground and Background	138
5.4.5.1 Tile and Stipple Sizes	138
5.5 Controlling Graphics Tricks	139
5.5.1 Logical Function	140
5.5.2 Plane Mask	142
5.6 Graphics Exposure	143
5.7 Subwindow Mode	145
5.8 Sharing GCs Between Clients	145
5.9 GCs and Server Efficiency	145
5.10 Querying the Graphics Context	146
5.11 The Default GC Versus Default Values of a GC	146

Chapter 6 Drawing Graphics and Text 151

6.1 Drawing	151
6.1.1 The Request Size Limit	152
6.1.2 Scaling Graphics	153
6.1.3 Example of Drawing Graphics	154
6.1.4 Filling	155
6.1.5 Creating Bitmaps, Pixmaps, Tiles, and Stipples	156
6.1.6 Copying and Clearing Areas	158
6.2 Fonts and Text	160
6.2.1 Character Format	160
6.2.2 Loading Fonts	161
6.2.3 Font Naming	162
6.2.4 Character Metrics	162
6.2.4.1 The XCharStruct Structure	163
6.2.4.2 The XFontStruct Structure	164
6.2.5 Positioning of Text	166
6.2.6 Text-drawing Routines	168
6.2.7 The draw_text Routine	169

6.2.8 Vertical Text and Rotated Text	171
6.2.9 Font Properties	171
6.2.10 Setting the Font Path	174
6.3 Regions	174
6.3.1 Moving and Resizing Regions	175
6.3.2 Computations with Regions	175
6.3.3 Returning Region Information	176
6.4 Images	176
6.4.1 Manipulating Images	178
6.4.2 Examples Using Images	180
6.5 Cursors	181
6.5.1 The Standard Cursor Font	181
6.5.2 Creating a Pixmap Cursor	182
6.5.3 Loading and Changing Cursors	183

Chapter 7 Color 187

7.1 Basic Color Terms and Concepts	187
7.2 Color Naming and Specification	189
7.2.1 The Server-side Color Name Database	189
7.2.2 Xcms Color Specification	191
7.2.3 The Client-side Color Name Database	192
7.2.4 Hexadecimal Color Specification	193
7.3 Differences in Display Hardware	193
7.3.1 Mid-range Color Displays	194
7.3.2 Monochrome and Gray Scale	194
7.3.3 High Performance Color Displays	195
7.3.4 How X Describes Color Support with Visuals	196
7.3.5 Shareability vs. Changeability	198
7.4 Allocating Shared Colors	199
7.4.1 The XColor Structure	201
7.4.2 Code to Allocate Read-only Colors	201
7.4.3 Highlighting in Two Colors	205
7.4.4 Choosing Default Colors	206
7.5 Allocating Private Colors	206
7.5.1 Allocating Read/Write Colorcells for Dynamic Colors	208
7.5.2 Allocating Read/Write Colorcells for Overlays	211
7.5.3 Using XAllocColorPlanes()	216
7.6 Getting Complete Visual Information	217
7.6.1 The XVisualInfo Structure	218
7.6.2 Example of Choosing a Visual	219
7.7 The GrayScale Visual	220
7.8 Standard Colormaps	220
7.8.1 The Standard Colormap Properties	221
7.8.2 The XStandardColormap Structure	222
7.8.3 The 3/3/2 Standard Colormap	224
7.8.4 Creating and Using a Standard Colormap	224

7.8.5 RGB-to-Pixel Conversion	229
7.9 Device-independent Color and Xcms	230
7.9.1 The Fundamentals of Color Representation	231
7.9.2 Screen Characterization and the XDCCC	233
7.9.3 The Xcms Programming Interface	233
7.9.3.1 Color and Colormap Functions	234
7.9.3.2 Color Conversion	238
7.9.3.3 Gamut-querying Functions	239
7.10 Creating and Installing Colormaps	241
7.10.1 Functions for Manipulating Colormaps	242
7.10.2 The ColormapNotify Event	243
7.10.3 The Required Colormap List	244
7.11 Miscellaneous Color-handling Functions	245

Chapter 8 Events 249

8.1 Overview of Event Handling	250
8.2 Event Processing	250
8.2.1 The Event Structures	251
8.2.2 Event Types and XEvent Union	251
8.2.3 Xlib's Event Queue	253
8.2.4 Writing the Event Loop	253
8.2.5 Printing the Event Type	256
8.2.6 Routines that Get Events	257
8.2.7 Predicate Procedures	260
8.3 Selecting Events	262
8.3.1 Correspondence Between Event Masks and Events	264
8.3.2 Propagation of Device Events	266
8.3.2.1 The Keyboard Focus Window	269
8.3.2.2 Keyboard and Pointer Grabbing	270
8.3.3 Event Masks	271
8.3.3.1 KeyPressMask and KeyReleaseMask	271
8.3.3.2 ButtonPressMask, ButtonReleaseMask, and OwnerGrabButtonMask	272
8.3.3.3 The Pointer Motion Masks	272
8.3.3.4 FocusChangeMask	273
8.3.3.5 EnterWindowMask and LeaveWindowMask	274
8.3.3.6 KeymapStateMask	274
8.3.3.7 ExposureMask	274
8.3.3.8 VisibilityChangeMask	275
8.3.3.9 ColormapChangeMask	276
8.3.3.10 PropertyChangeMask	276
8.3.3.11 StructureNotifyMask and SubstructureNotifyMask	276
8.3.3.12 SubstructureRedirectMask	278
8.3.3.13 ResizeRedirectMask	279
8.3.3.14 Automatically Selected Events	279
8.4 Sending Events	280
8.5 Where to Find More on Each Event	280

Chapter 9 The Keyboard and Pointer	285
9.1 The Keyboard	285
9.1.1 Simple Keyboard Input	287
9.1.1.1 Getting a String — A Dialog Box	288
9.1.2 The Keyboard Mappings	292
9.1.2.1 Keysyms to Strings	292
9.1.2.2 The Modifier Keys	294
9.1.2.3 Keycodes to Keysyms	295
9.1.3 Background on Keysyms	295
9.1.3.1 The Design of Keysyms	296
9.1.3.2 Conventions for Keysym Meaning	297
9.1.4 Changing the Server-wide Keyboard Mappings	297
9.1.4.1 Changing the Keycode-to-Keysym Mapping	298
9.1.4.2 Changing Modifier Mapping	299
9.1.5 Other Keyboard-handling Routines	300
9.2 The Pointer	301
9.2.1 Tracking Pointer Motion	301
9.2.1.1 Getting All Motion Events	301
9.2.1.2 Using Pointer Motion Hints	304
9.2.1.3 Motion History	306
9.2.2 Handling Pointer Button Events	308
9.2.3 Changing the Pointer Button Mapping	311
9.2.4 Moving the Pointer	311
9.3 Border Crossing and Keyboard Focus Change Events	312
9.3.1 The KeymapNotify Event	313
9.4 Grabbing the Keyboard and Pointer	314
9.4.1 Implementing Type-ahead for Information Entry	316
9.5 Keyboard Preferences	320
9.5.1 Setting Keyboard Preferences	320
9.5.2 Getting Keyboard Preferences	322
9.6 Pointer Preferences	323
9.7 X Input Extension	323

Chapter 10 Internationalization 327

10.1 An Overview of Internationalization	328
10.1.1 Internationalization with ANSI-C	330
10.1.2 Text Representation in an Internationalized Application	332
10.1.2.1 ISO8859-1 and Other Encodings	333
10.1.2.2 Multi-byte Strings and Wide-character Strings	334
10.1.3 Internationalization Using X	335
10.2 Locale Management in X	336
10.3 Internationalized Text Output in X	337
10.3.1 Creating and Manipulating Fontsets	338
10.3.2 Querying Fontset Metrics	339
10.3.3 Context Dependencies in Displayed Text	340

10.3.4 Measuring Strings	340
10.3.5 Drawing Internationalized Text	341
10.4 String Encoding Changes for Internationalization	343
10.5 Internationalized Interclient Communication	347
10.6 Localization of Resource Databases	350
10.7 Summary: Writing an Internationalized Application	353

Chapter 11 Internationalized Text Input 357

11.1 Issues of Internationalized Text Input	358
11.2 Overview of the X Input Method Architecture	359
11.2.1 Input Methods and Input Servers	359
11.2.2 User Interaction with an Input Method	360
11.2.3 The X Input Method	361
11.2.4 The X Input Context	361
11.2.5 Input Context Focus Management	361
11.2.6 Preedit and Status Area Geometry Management	362
11.2.7 Preedit and Status Callbacks	362
11.2.8 Getting Composed Input	362
11.2.9 Filtering Events	362
11.2.10 The Big Picture	363
11.3 XIM Programming Interface	364
11.4 XIM Functions	366
11.4.1 Opening and Closing an Input Method	366
11.4.2 Querying Input Method Values	367
11.5 XIC Functions	369
11.5.1 Choosing an Interaction Style	369
11.5.2 Creating and Destroying Input Contexts	369
11.5.3 Querying and Modifying an XIC	372
11.5.4 Resetting an Input Context	373
11.5.5 Setting Input Context Focus	373
11.5.6 Input Context Utility Functions	373
11.6 Input Context Attributes	374
11.6.1 XNInputStyle	374
11.6.2 XNClientWindow	374
11.6.3 XNFocusWindow	374
11.6.4 XNResourceName and XNResourceClass	375
11.6.5 XNGeometryCallback	375
11.6.6 XNFilterEvents	375
11.6.7 XNPreeditAttributes and XNStatusAttributes	375
11.6.7.1 XNArea	376
11.6.7.2 XNAreaNeeded	376
11.6.7.3 XNSpotLocation	376
11.6.7.4 XNColormap	376
11.6.7.5 XNStdColormap	377
11.6.7.6 XNForeground	377
11.6.7.7 XNBackground	377

11.6.7.8 XNBackgroundPixmap	377
11.6.7.9 XNFontSet	377
11.6.7.10 XNLineSpacing	377
11.6.7.11 XNCursor	378
11.6.7.12 Preedit and Status Callbacks	378
11.7 Negotiating Preedit and Status Area Geometries	378
11.8 Geometry, Preedit, and Status Callbacks	381
11.8.1 The Geometry Callback	382
11.8.2 The PreeditStartCallback and the PreeditEndCallback	382
11.8.3 The PreeditDrawCallback	382
11.8.4 The PreeditCaretCallback	384
11.8.5 The StatusStartCallback and the StatusDoneCallback	386
11.8.6 The StatusDrawCallback	387
11.9 Filtering Events	388
11.10 Getting Composed Text	389
11.11 XIM Programming Checklist	391

Chapter 12 Interclient Communication 403

12.1 Properties and Atoms	404
12.2 The Compound Text Encoding	405
12.3 Communicating with the Window Manager	405
12.3.1 Standard Properties for Window Manager	406
12.3.1.1 Application Name – XA_WM_NAME	408
12.3.1.2 Icon Name – XA_WM_ICON_NAME	409
12.3.1.3 Window Size Hints – XA_WM_NORMAL_HINTS	409
12.3.1.4 Additional Window Manager Hints – XA_WM_HINTS	412
12.3.1.5 Application Class Name and Instance Name – XA_WM_CLASS	418
12.3.2 Standard Properties for Session Manager	419
12.3.2.1 Application Command and Arguments	419
12.3.2.2 Client Machine	419
12.3.3 Optional Properties for Window and Session Manager	419
12.3.3.1 Using Created Colormaps – WM_COLORMAP_WINDOWS	420
12.3.3.2 Window Manager Protocols – WM_PROTOCOLS	420
12.3.4 Properties Set by the Window Manager	423
12.3.4.1 XA_WM_ICON_SIZE	423
12.3.4.2 WM_STATE	424
12.3.5 Text Properties	424
12.3.6 Constraints on Client Actions	425
12.3.6.1 Changing Application State	426
12.3.6.2 Reconfiguring the Top-level Window	426
12.4 Selections	428
12.4.1 The Selection Mechanism	428
12.4.2 An Example of Selection	429
12.4.3 Acquiring Selection Ownership	431
12.4.4 Responsibilities of the Selection Owner	431
12.4.5 Giving Up Selection Ownership	433

12.4.6 Requesting a Selection	433
12.4.7 Large Data Transfers	434
12.4.8 More on Selection Properties and Types	434
12.4.9 Target Atoms	435
12.5 Cut Buffers	436

Chapter 13 Managing User Preferences 441

13.1 Using XGetDefault()	442
13.2 Using the Low-level Resource Manager Routines	447
13.2.1 Resource Files and Merging	448
13.2.2 Including Files in a Resource File	448
13.2.3 Resource Properties	449
13.2.4 The Low Level Xrm Routines	450
13.3 Standard Geometry	452
13.4 Resource Specification and Matching	453
13.4.1 Tight Bindings and Loose Bindings	456
13.4.2 Wildcarding Resource Component Names	457
13.4.3 The -name Option	458
13.4.4 Storage/Access Rules	459
13.4.5 Resource Manager Values and Representation Types	461
13.5 Other Resource Manager Routines	462
13.5.1 Putting Resources into the Database	462
13.5.2 Combining the Contents of Databases	462
13.5.3 Enumerating Database Entries	463
13.5.4 Associating a Resource Database with a Display	463
13.5.5 Getting the Locale of a Database	464
13.5.6 Quarks	464

Chapter 14 A Complete Application 469

14.1 Description of basecalc	469
14.2 Include Files	472
14.3 The Main of basecalc	472
14.4 Getting User Preferences	473
14.4.1 User Defaults for basecalc	473
14.4.2 Parsing the Command Line	474
14.4.3 Getting the Databases	477
14.4.4 Getting Options from the Database	479
14.5 Printing a Usage Message	482
14.6 Initializing the Calculator	482
14.7 Making Windows	486
14.8 Selecting Events	487
14.9 Processing Events	487
14.10 Drawing a Pad	489
14.11 Routines Not Shown	490

Chapter 15 Other Programming Techniques	495
15.1 Reading and Writing Properties	495
15.2 Screen Saver	496
15.3 Host Access and Security	497
15.3.1 The Host Access List	497
15.3.2 Enabling and Disabling Access Control	498
15.4 Getting the Window Hierarchy	499
15.5 Close Down Mode	499
15.6 Connection Close Operations	500
15.7 Data Management	501
15.7.1 The Context Manager	501
15.8 The After Function	502
15.9 Coordinate Transformation	502
15.10 ANSI-C and POSIX Portability	502
15.10.1 <X11/Xosdefs.h>	502
15.10.2 <X11/Xos.h>	503
15.10.3 <X11/Xfuncs.h>	504
15.10.4 <X11/Xfuncproto.h>	504
15.10.5 Other Symbols	506
15.11 Porting Programs to X	506
15.12 Programming for Multiple X Releases	507
15.13 Using Extensions to X	508
Chapter 16 Window Management	511
16.1 Layout Policy	512
16.2 Substructure Redirection	512
16.3 Reparenting	514
16.3.1 Shadows	514
16.4 Window Save-set	516
16.5 Window Manager – Client Communications	516
16.5.1 Reading the Hints	517
16.5.2 Setting Icon Sizes	517
16.5.3 Window Manager Protocols	517
16.6 Window Management Functions	518
16.7 A Basic Window Manager	520
16.7.1 Operation of the Program	520
16.7.2 Description of the Code of main	522
16.7.3 Window Layering	528
16.7.4 Selecting Input	528
16.7.5 Handling Input	530
16.7.6 Inverting an Area	531
16.7.7 Cursors	532
16.7.8 Grabbing the Pointer	532
16.7.9 Painting the Menu	532
16.7.10 Circulating Windows	534

16.7.11 Raising and Lowering Windows	534
16.7.12 Moving and Resizing Windows	535
16.7.13 The draw box Routine	540
16.7.14 (De)Iconifying Windows	541
16.7.15 Creating the Icons	543
16.7.16 Getting the Icon Size	545
16.7.17 Updating the Icon List	546
16.7.18 Removing Icons	547
16.7.19 Changing Keyboard Focus	548
16.7.20 Drawing the Focus Frame	550
16.7.21 Executing a Shell Command	551
Appendix A Specifying Fonts	555
A.1 Font Specification	555
A.1.1 Font Naming Conventions	556
A.1.2 Font Name Wildcarding	558
A.1.3 Font Name Aliasing	559
A.1.4 Making the Server Aware of Aliases	560
A.1.5 The fonts.dir Files	561
A.2 Font Service	562
A.2.1 Font Server Naming	564
A.2.2 Font Server Configuration	565
A.3 Scalable Fonts	565
A.3.1 Finding Scalable Fonts	566
A.3.2 Finding Derived Instances of Scalable Fonts	567
A.3.3 Using Scalable Fonts	569
Appendix B X10 Compatibility	575
B.1 XDraw and XDrawFilled()	575
B.2 Association Tables	578
Appendix C Writing Extensions to X	581
C.1 Basic Protocol Support Routines	582
C.1.1 XListExtensions	582
C.1.2 XFreeExtensionList	583
C.2 Hooking into Xlib	583
C.2.1 XInitExtension	583
C.2.2 XAddExtension	584
C.2.3 Hooks into the Library	584
C.2.3.1 XESetCloseDisplay	584
C.2.3.2 XESetCreateGC	585
C.2.3.3 XESetCopyGC	585

C.2.3.4	XESetFreeGC	586
C.2.3.5	XESetCreateFont	586
C.2.3.6	XESetFreeFont	587
C.2.4	Defining New Events and Errors	587
C.2.4.1	XESetWireToEvent	588
C.2.4.2	_XSetLastRequestRead	588
C.2.4.3	XESetEventToWire	589
C.2.4.4	XESetWireToError	589
C.2.4.5	XESetError	590
C.2.4.6	XESetErrorString	591
C.2.4.7	XESetPrintErrorValues	591
C.2.4.8	XESetFlushGC	592
C.2.5	Hooks onto Xlib Data Structures	592
C.2.5.1	XEHeadOfExtensionList	593
C.2.5.2	XAddToExtensionList	593
C.2.5.3	XFindOnExtensionList	593
C.2.5.4	XAllocID	593
C.3	GC Caching	594
C.4	Graphics Batching	594
C.5	Writing Extension Stubs	596
C.5.1	Requests, Replies, and Xproto.h	596
C.5.2	Request Format	596
C.5.3	Starting to Write a Stub Routine	598
C.5.4	Locking Data Structures	598
C.5.5	Sending the Protocol Request and Arguments	599
C.5.6	Variable Length Arguments	600
C.5.7	Replies	600
C.5.7.1	_XRead16	602
C.5.7.2	_XRead32	602
C.5.7.3	_XRead16Pad	603
C.5.7.4	_XReadPad	603
C.5.8	Synchronous Calling	603
C.5.9	Allocating and Deallocating Memory	604
C.5.10	Portability Considerations	604
C.5.11	Deriving the Correct Extension Opcode	605

Appendix D The basecalc Application 609

Appendix E Event Reference 639

E.1	Meaning of Common Structure Elements	639
	ButtonPress, ButtonRelease	642
	CirculateNotify	644
	CirculateRequest	645
	ClientMessage	646
	ColormapNotify	647

ConfigureNotify	648
ConfigureRequest	650
CreateNotify	652
DestroyNotify	654
EnterNotify, LeaveNotify	655
Expose	661
FocusIn, FocusOut	663
GraphicsExpose, NoExpose	669
GravityNotify	671
KeymapNotify	672
KeyPress, KeyRelease	673
MapNotify, UnmapNotify	675
MappingNotify	677
MapRequest	679
MotionNotify	680
PropertyNotify	682
ReparentNotify	683
ResizeRequest	684
SelectionClear	685
SelectionNotify	686
SelectionRequest	687
VisibilityNotify	688

Appendix F The Xmu Library 693

F.1 Atom Functions	693
F.2 Error Handler Functions	694
F.3 System Utility Functions	694
F.4 Window Utility Functions	694
F.5 Cursor Utility Functions	695
F.6 Color Utilities	695
F.7 Pixmap Utilities	695
F.8 Graphics Functions	695
F.9 Selection Functions	696
F.10 Character Set Functions	696
F.11 Compound Text Functions	697
F.12 CloseDisplay Hook Functions	697
F.13 Display Queue Functions	697
F.14 Standard Colormap Functions	698

Appendix G Sources of Additional Information 701

G.1 Getting the X Software	701
G.1.1 Bug Fixes	702
G.1.1.1 Notes	704
G.1.1.2 Fairness	704

G.2 Netnews	705
G.3 Training, Consulting, and Support	705
G.4 The X Consortium	706
G.5 Finding Out for Yourself	708

Appendix H Release Notes 711

H.1 Changes from Release 4 to Release 5	711
H.1.1 Internationalization	711
H.1.2 X Color Management System	712
H.1.3 Resource Management	713
H.1.4 Scalable Font Support	713
H.2 Miscellaneous Xlib Changes	713
H.3 Changes from Release 3 to Release 4	714
H.3.1 New Routines	714
H.3.2 Existing Interface Changes	717
H.3.2.1 XOpenDisplay()	717
H.3.2.2 Error Handlers	717
H.3.2.3 Nonstandard Keysyms	717
H.3.2.4 XReadBitmapFile()	718
H.3.2.5 Resource Specification Syntax	718
H.3.2.6 XrmParseCommand()	718
H.3.2.7 Keyboard Groups	718
References	744

Glossary 723

References	744
------------------	-----

Index 747