

Contents

	PAGE
GENERAL INTRODUCTION	iii
PREFACE TO FIRST EDITION	v
PREFACE TO REVISED EDITION	vii
CHAPTER I.—COMPOSITION OF PETROLEUM	11
Classification of Crude Oil. Chemical Composition of Petroleum. Paraffins. Naphthene Hydrocarbons. Aromatic Hydrocarbons. Olefin and Diolefin Hydrocarbons. Miscellaneous Hydrocarbons. Isomers. Analysis of Petroleum Hydrocarbons. Oxygenated Compounds. Nitrogen Compounds. Sulfur Compounds. Mineral Constituents. Principal Commercial Products from Petroleum. Gasoline. Kerosene. Gas Oil. Lubricating Oils. Asphalt.	
CHAPTER II.—TREATMENT WITH SULFURIC ACID	45
Action of Sulfuric Acid on: Paraffins; Naphthenes; Aromatics; Unsaturated Hydrocarbons; Resinous and Asphaltic Substances; Oxygenated Compounds; Nitrogen Compounds; Sulfur Compounds. Rates of Action of Sulfuric Acid on Various Impurities in Petroleum. Classification of Petroleum Products Requiring Sulfuric Acid Treatment. Effect of Impurities or Chemicals in Sulfuric Acid on its Refining Properties. Concentration of Sulfuric Acid for Refining. Quantity of Acid Required. Temperature of Treatment. Low-Temperature Treatment and Octane Rating. Time of Contact. Accelerated Methods for Separation of Acid Sludge: Mechanical Methods; Chemical Methods. Method of Application. Distillation after Acid Treatment. Effect of Light. Results of Acid Refining. Color. Odor. Sulfur Content. Burning Test. Unsaturation. Specific Gravity. Solidification Point. Antiknock Properties. Oxidation. Gum Test. Viscosity. Lubricating Oil Quality. Ash Content. Losses from Acid Treatment.	
CHAPTER III.—SULFURIC ACID SLUDGE AND HYDROGEN SULFIDE; RECOVERY AND MANUFACTURE OF SULFURIC ACID	120
Various Methods for Disposal of Acid Sludge. Sulfuric Acid from Acid Sludge. Separation of Acid Sludge into Acid and Oil. Concentration of Acid Separated from Acid Sludge. Acid from Hydrolysis of Acid Sludge as a Treating Agent. Laboratory Control for Separation and Concentration Operations: Separation of Acid from Acid Sludge; Determination of Acid Content in Acid Sludge and Separated Acid. Direct Production of Fresh Concentrated or Fuming Sulfuric Acid from Acid Sludge. Hydrogen Sulfide in Refinery Cracked Gases: Extraction and Conversion into Sulfuric Acid. The Koppers Company Sodium Phenolate Process. The Girdler Corporation Process. Shell Development Company Tripotassium Phosphate Process. I. G. Alkacid Process.	
CHAPTER IV.—TREATMENT WITH ALKALINE REAGENTS	152
Chemistry of Alkaline Treatment. Soaps. Hydrogen Sulfide Removal with Alkaline Reagents. Extraction of Mercaptans with Alkaline Reagents. Removal of Acidic Substances Introduced into Oil. Plant Practice. Emulsions. Recovery and Utilization of Spent Alkaline Solutions. Treatment with: Potassium Hydroxide, Sodium Carbonate, Ammonia, Lime, Magnesium Hydroxide, Sodium Silicate, Calcium Carbonate, Soaps.	

CHAPTER V.—SWEETENING OPERATIONS, ELIMINATION OF ELEMENTAL SULFUR, AND REDUCTION OF TOTAL SULFUR IN LIGHT DISTILLATES 179

Laboratory Analysis of Oils for Various Sulfur Compounds. Silver Nitrate and Ammonium Thiocyanate Method. Potentiometric Method. Direct Titration with Copper Sulfate in Ammonium Hydroxide Solution. Corrosiveness, and Tests for Corrosiveness in Oil. Sweetening Operations. Sodium Plumbite Treatment. Chemistry of Sodium Plumbite Treatment. Plumbite Sweetening and Octane Rating. Laboratory Examination of Sodium Plumbite Solution for Refinery Control. Preparation of Commercial Reagents. Refinery Operation. Sweetening before Acid Treatment or before Distillation. Treatment to Correct Corrosiveness. Regeneration of Sodium Plumbite Solution. Sweetening with: Sulfur and Alcoholic Solution of Caustic Soda; Sulfur and a Powdered Mixture of Litharge, Hydrated Lime, and Caustic Soda; Dry Lead Sulfide, Air, and Sulfur without Caustic Soda; Lead Sulfide and Air without Elemental Sulfur. Treatment with Copper Sulfate. Hypochlorite Treatment. Chemistry of Hypochlorite Treatment. Practical Use of Sodium Hypochlorite Solution. Treatment with Calcium Hypochlorite. Treatment with Hypochlorous Acid. Treatment of Hydrocarbons in Vapor Phase with Hypochlorite Solution. Treatment with Chlorine. Extraction of Mercaptans by Increasing the Solvent Power of Caustic Alkali Solutions. Treatment with Alcoholic Solutions of Alkalies and Alkali Metals. The Reduction of Total Sulfur in Light Petroleum Distillates. Types of Sulfur in Light Oils. Desulfurizing with Aluminum Chloride. Activated Aluminum for the Removal of Elemental Sulfur. Catalytic Desulfurization. Houdry Process. The Perco Process. Desulfurizing with Hypochlorite. Treatment with: Metallic Zinc; Mercuric Salts; Metallic Mercury; Metallic Sodium; Ferric Chloride; Ferric Oxide; Copper Chloride; Metallic Copper; Lead Oxide; Metallic Lead; Arsenic and Arsenic Compounds; Calcium Carbide; Calcium Sulfide. Hydrogenation and Sulfur Removal. Treatment with Compounds of Manganese.

CHAPTER VI.—REFINING BY ADSORPTION 244

Classification of Adsorbents. Method of Preparation. Physical and Chemical Properties. Method of Testing Efficiency of Adsorbents. Adsorption of: Hydrocarbons; Resinous and Asphaltic Substances and Coloring Matter; Sulfur Compounds; Nitrogen Compounds; Oxygenated Compounds. Methods of Applying Adsorbents. Refining by Percolation. Adsorbents Used in Percolation. Contact Filtration. Contact Decolorization of Light Oils. Aging of Stock and Treatment with Clay. Contact Refining of Lubricating Oils and Other Heavy Petroleum Products. Removal of Adsorbents from Oil: Filters. Removal of Light Oil from Spent Contact Clay. Comparison and Relative Costs of Refining Lubricating Oils by Contact and by Percolation Processes. Filtrol Distillation: Distilling Oil from Contact with Activated Clay. Vapor-Phase Refining with Adsorbents. Gray Vapor-Phase Treating Process. Houdry Catalytic Treating Process. Regeneration of Adsorbents. Regeneration of Contact Clays. Regeneration of Percolation Adsorbents.

CHAPTER VII.—REFINING WITH SOLVENTS 312

Theoretical Principles of Solvent Refining. Extraction of Light Petroleum Distillates. Extraction of Heavy Petroleum Distillates. Dewaxing of Lubricating Oils. Freeing Petroleum Waxes from Oil. Deasphalting Petroleum Oils. Solvent Refining of Lubricating Oils. Furfural Process. Phenol Process. Chlorex Process. Nitrobenzene Process. Double Solvent Process. Disposal of Solvent Extract Material.

	PAGE
CHAPTER VIII.—DETONATION AND ANTIDETONANTS	340
Knocking Characteristics and Lead Susceptibilities of Hydrocarbons. Lead Susceptibility. Detonation Characteristics of Gasolines. High Octane Number Aviation Fuels. Test Methods of Determining Octane Numbers. Factors Affecting Detonation: Spark Timing and Distributor Adjustment; Fuel Distribution; Carbon Deposits in the Engine; Vapor Losses; Humidity. Estimating Octane Value of Motor Fuels from Chemical and Physical Data. Methods of Suppressing the Detonation of Gasolines: Small Amounts of Antidetonants, or Catalysts; Anilol; Iron Carbonyl; Tetraethyl Lead; Non-detonation Catalysts Fixed on the Inside of the Motor. Influence of Inhibitors on Preserving Antidetoning Qualities of Gasoline.	
CHAPTER IX.—INHIBITORS OF ATMOSPHERIC OXIDATION OF PETROLEUM PRODUCTS. ANTIOXYGENS	367
Condensation and Polymerization. Scope of Antioxygens and Autoxidizable Substances. Functioning of Antioxygens. Selection of Antioxygens for Oils an Empirical Process. Highly Refined Hydrocarbon Oils. Light Hydrocarbon Oils.	
CHAPTER X.—GUMS AND CRACKED PETROLEUM PRODUCTS	376
Composition of Gum. Actual and Potential Gum. Induction Period of Gasoline and Storage Stability. Permissible Gum Content. Gums in Acid-Treated and in Acid-Treated and Steam-Distilled Cracked Gasoline. Gums in Acid-Clay Treated Cracked Gasoline. Controlling Gum by Treatment with: Ferric Chloride; Phosphoric Acid; Stannous and Stannic Chlorides; Reduction Reagents; Ferrous Sulfate. Metal Catalysts in Gum Formation. Chemical Inhibitors of Gum Formation.	
CHAPTER XI.—DETERIORATION OF LUBRICATING AND SIMILAR OILS. ADDITION AGENTS	398
Oxidation Sludges. Chemical Composition of Lubricating Sludges. Formation of Sludges. Oxidation Tests. Refined Oils and Oxidation. Deterioration of Lubricating Oils in Engines. Addition Agents. Oxidation Inhibitors for Lubricating and Similar Oils. Corrosion Inhibitors. Oiliness Carriers. Viscosity Index Improvers. Fluorescence Improvers. Pour Point Depressors.	
SUPPLEMENTARY LIST OF UNITED STATES PATENTS ON PETROLEUM REFINING	417
APPENDIX. SPECIAL TABLES	497
Centigrade-Fahrenheit Conversion Table	497
Degrees A.P.I., Specific Gravities, and Pounds per Gallon at 60° F. (Liquids Lighter Than Water)	498
Sodium Hydroxide (Caustic Soda) Solution at 15° C. (59° F.)	499
Sulfuric Acid	500
Volumetric Dilution of Sulfuric Acid	500
Grams per Liter to Pounds per Barrel. Pounds per Barrel to Grams per Liter	501
Approximate Color Conversion Table	502
Classification of Lubricants	504
PATENT INDEX	505
AUTHOR INDEX	519
SUBJECT INDEX	531