

CONTENTS

<i>Chapter 1. INTRODUCTION</i>		<i>page 1</i>
<i>Chapter 2. THE GENERATION AND RECEPTION OF PULSE-MODULATED SIGNALS</i>		10
2·1	Pulsed generators up to 1000 Mc./sec.	11
2·1·1	Centimetre band power generators	12
2·2	The modulator	14
2·3	The Fourier components of a pulse-modulated signal	15
2·4	Receiver characteristics—noise	18
2·4·1	Noise factor	20
2·5	Perception factor—limiting noise sensitivity	23
2·6	Two numerical examples	23
<i>Chapter 3. FACTORS AFFECTING THE PERFORMANCE OF A RADAR EQUIPMENT</i>		25
3·1	The gain of directive aerials	25
3·1·1	Polar diagrams of directive aerials	30
3·1·2	The effect of reflexions from the ground	33
3·2	Equivalent echoing area of a target	37
3·2·1	Echoing areas of aircraft	38
3·2·2	Echoing constants of surface targets	40
3·3	Calculation of signal strengths and maximum ranges	44
3·3·1	Aerial noise	46
3·3·2	Ground stations with site reflexions	47
3·3·3	Performance index	49
3·3·4	Numerical examples	49
3·4	Propagation conditions in the earth's atmosphere	52
3·5	Choice of constants for a given radar equipment	55
<i>Chapter 4. RADAR RANGING</i>		57
4·1	Method of measurement of range	58
4·1·1	Range measurement methods for use with computers	61
4·2	Calibration	63
4·2·1	Frequency as a standard	63
4·2·2	Supersonic velocity as a standard	64
4·2·3	Electronic range marker	65
4·3	Radar ranging with range-elevation correlation	67

<i>Chapter 5. THE DETERMINATION OF AZIMUTH</i>		<i>page 68</i>
5.1	Flood-lighting systems	70
5.1.1	Crossed dipoles	70
5.1.2	Modified Adcock system	73
5.2	Rotating beam systems	73
5.2.1	Common aerial systems	74
5.2.2	Plan position indicators	75
5.2.3	Range-azimuth presentation	77
5.3	Beam switching	78
5.4	The importance of the vertical polar diagram	81
5.5	Direction-finding errors due to site effects and atmospheric causes	84
<i>Chapter 6. THE DETERMINATION OF ELEVATION</i>		86
6.1	Ground and shipborne radars for aircraft detection	86
6.2	Flood-lighting stations	87
6.2.1	Spaced aerial method	87
6.2.2	Effect of site	89
6.3	Stations beamed in azimuth—G.C.I.	90
6.4	Elevation-only stations	93
6.5	Special methods	95
<i>Chapter 7. SYSTEMS FOR DETERMINING BOTH AZIMUTH AND ELEVATION</i>		98
7.1	General considerations—two-dimensional scanning	99
7.2	Practical scanning systems	101
7.2.1	Display systems	103
7.2.2	Auto-follow systems	105
7.3	Long-range radars using two-dimensional scanning	105
7.4	Air-interception radars	106
<i>Chapter 8. UNWANTED ECHOES</i>		108
8.1	Sea clutter	109
8.2	Ground clutter	110
8.3	Doppler systems	111

Chapter 9. ELECTRICAL CHARACTERISTICS OF
TYPICAL RADAR EQUIPMENTS

9.1	Ground radar	115
9.2	Airborne radar	118
9.3	Shipborne radar	119

Chapter 10. SECONDARY RADAR 120

10.1	The responder	121
10.2	The secondary radar system	122
10.2.1	The Aircraft Control Radar (A.C.R.) equipment	123
10.3	The problem of identification	124
10.3.1	Correlation with information from the primary radar	125
10.3.2	An example of an I.F.F. system	126

APPENDICES

Appendix 1. GLOSSARY OF SYMBOLS AND
STANDARD FORMULAE 128

A 1.1	Symbols and units	128
A 1.2	Standard formulae	128

Appendix 2. THE CALCULATION OF ABSORBING,
SCATTERING AND ECHOING AREAS 131

A 2.1	Scattering and echoing by tuned half-wave parasitic element	131
A 2.2	Scattering and echoing by half-wave aerial matched to a receiver	132
A 2.3	Absorbing area of any aerial	133
A 2.4	Calculation of echoing areas of perfectly conducting objects	134
A 2.4.1	Sphere	134
A 2.4.2	Surface of any simple shape	135