

Contents

Symbols	6
1 Introduction	9
2 The selfexcited vibration of turbine blades	13
2.1 Flutter phenomena	13
2.2 Classical methods	16
2.3 Integrated methods	18
2.3.1 Partially integrated methods	18
2.3.2 Fully integrated methods	20
2.4 Forced vibration and flutter	20
2.5 Aeroelasticity model	24
3 The structure models	27
3.1 1D blade and 2D bladed disc models	27
3.2 Model of the forced vibration of bladed disc	33
3.3 Direct method of integration, Wilson θ method	35
3.4 Modal superposition method	37
3.5 Discrete blade model	39
4 The 2D flutter model	41
4.1 2D Godunov Method	41
4.2 Kolgan modification	50
4.3 Integration of coupled aeroelastic system	57
4.4 Numerical and experimental verification of the 2D inviscid flutter code	57
4.4.1 Torsional oscillations	58
4.4.2 Oscillations in bending mode	66
4.5 Coupled fluid-structure calculations	72

CONTENTS

4.6	2D inviscid flutter of the mistuned Fourth and First Standard Configurations	81
4.7	Conclusions	93
5	The 3D flutter model	95
5.1	3D Godunov-Kolgan method	95
5.1.1	Generalization of Godunov difference scheme for the spatial domain with moving grid	97
5.1.2	Discontinuity on the moving side - Riemann Problem	103
5.1.3	Increase of difference scheme accuracy	108
5.1.4	Initial approximation, boundary conditions	110
5.2	Numerical and experimental verification of the 3D inviscid flutter code	111
5.2.1	Torsional oscillations of compressor cascade	112
5.2.2	Bending oscillations of turbine blade row	122
5.3	3D inviscid flutter of IV Standard Configuration - Harmonic oscillations	133
5.4	3D inviscid flutter of IV Standard Configuration - Coupled fluid-structure oscillations	142
5.5	Aeroelastic behaviour of the last stage steam turbine blades	159
5.6	Aeroelastic behaviour of the last stage steam turbine blades - Coupled fluid - structure oscillations	171
5.6.1	First to fifth mode shapes separately	172
5.6.2	Interaction of five mode shapes	186
6	The experimental verification	193
6.1	Test Stand	194
6.2	Experimental results	197
6.3	Comparison of the numerical and experimental results	206
6.4	Conclusions	210
7	Final remarks	211
	References	213
	List of Tables	223
	List of Figures	225
A	Geometrical characteristics of the steam turbine blade	237

B	First Standard Configuration (Compressor Cascade in Low Subsonic Flow)	239
C	Fourth Standard Configuration (Turbine Cascade)	241
D	Natural frequencies of the experimental stand	243
E	Experimental blade geometry	247
	Index	249